EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	key.clm. AND access.clm. AND right.clm. AND date.clm. AND linked.clm. AND ("726". clas. | "713".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/27 18:13
L2	7	module$1.clm. AND key.clm. AND access. clm. AND right.clm. AND date.clm. AND linked.clm. AND ("726".clas. | "713".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/27 18:13
L3	2	terminal.clm. AND module$1.clm. AND key. clm. AND access.clm. AND right.clm. AND date.clm. AND linked.clm. AND ("726".clas. | "713".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/27 18:17
S1	577	(726/2.ccls.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/28 17:21
S2	3087	(726/2,26,27.ccls. | 713/189.ccls. | 380/59. ccls.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/28 20:30
S3	19	((independent | linked) variable) AND (decrypt$3 | decod$3 | descrambl$3) AND (encrypt$3 | encod$3 | scrambl$3) AND (eras$3 | remov$3 | delet$3) AND (disabl$3 | deny$3 | denied | disallow$3) AND (enabl$3 | permit$4 | grant$3 | allow$3) AND (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:27

S4	28	((decrypt$3 | decod$3 | descrambl$3) AND (encrypt$3 | encod$3 | scrambl$3) AND (eras$3 | remov$3 | delet$3) AND (disabl$3 | deny$3 | denied | disallow$3) AND (enabl$3 | permit$4 | grant$3 | allow$3)) SAME (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:29
S5	5	("EMM" | encryption management messag$3) AND ("ECM" | encryption control messag$3) AND (access control | access right$1 | access polic$3) AND (726/2,26,27. ccls. | 713/189.ccls. 380/59.ccls.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:32
S6	24996	(becker.in. | codet.in. | fevrier.in. | guionnet.in.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:33
S7	51	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:33
S8	9	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND control word AND ("713". clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:33
S9	9	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND control word AND access AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:34
S10	7	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND control word AND access right$1 AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:34
S11	6	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND control word AND access right$1 AND encrypt$3 AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:35

S12	0	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND control word AND access right$1 AND encrypt$3 AND action date AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:35
S13	3	(becker.in. | codet.in. | fevrier.in. | guionnet.in.) AND control word AND access right$1 AND encrypt$3 AND date AND ("713".clas. | "726".clas. | "380".clas.)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:35
S14	4	control word$1 AND ("EMM" | encryption management messag$3) AND ("ECM" | encryption control messag$3) AND (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd< "20020308" | @ad< "20020308" | @prad< "20020308" | @rlad< "20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 13:35
S15	9	("EMM" | encryption management messag$3 | entitlement management messag$3) AND ("ECM" | encryption control messag$3 | entitlement control messag$3) AND (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd< "20020308" | @ad< "20020308" | @prad< "20020308" | @rlad< "20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 10:26
S16	15	control word AND key AND (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59. ccls.) AND (@pd< "20020308" | @ad< "20020308" | @prad< "20020308" | @rlad< "20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 10:32
S17	15	(date | time) AND control word AND key AND (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd< "20020308" | @ad< "20020308" | @prad< "20020308" | @rlad< "20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 10:32
S18	15	(date | time | period) AND control word AND key AND (access control | access right$1 | access polic$3) AND (726/2,26,27. ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd< "20020308" | @ad< "20020308" | @prad< "20020308" | @rlad< "20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/03 10:32
S19	2	"6697489".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:15

S20	8	("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND (726/2,26,27.ccls. | 713/189.ccls. | 380/59.ccls.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:26
S21	93	("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:27
S22	55	updat$3 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:27
S23	48	compar$4 AND updat$3 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:27
S24	63	right$1 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:28
S25	63	(date | time | period) AND right$1 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:28

S26	56	(enabl$3 | disabl$3) AND (date | time | period) AND right$1 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726". clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:28
S27	46	(enabl$3 | add$3) AND (disabl$3 | remov$3) AND right$1 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:29
S28	47	(enabl$3 | add$3 | permit$4 | permission | grant$4) AND (disabl$3 | remov$3 | deny$3 | denie$1) AND (date | time | period) AND right$1 AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:30
S29	58	encrypt$3 AND decrypt$3 AND (date | time | period) AND (right$1 | permission$1 | privilege$1) AND ("EMM" | entitlement management message$1 | encrypt$3 management message$1) AND control word AND key AND (access control | access right$1 | access polic$3) AND ("726".clas. | "713".clas. | "380".clas.) AND (@pd<"20020308" | @ad<"20020308" | @prad<"20020308" | @rlad<"20020308")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/18 12:31